

CASCADE

 $sales @ towtally camping.com\ 1-530-241-7848\\ 2425\ Cascade\ Blvd., Redding,\ CA\ 96003\\ Local\ 1-530-241-7848 \quad |\quad https://www.towtallycamping.com/$



2025 STARCRAFT AUTUMN RIDGE SINGLE AXLE 182RB

\$19,992.00

Originally \$28,216.00

SPECIFICATIONS

Year	2025
Manufacturer	STARCRAFT
Brand	AUTUMN RIDGE SINGLE AXLE
Model	182RB
Туре	Travel Trailer
Status	New
Stock #	S7BE5063
Financing Available	✓
Warranty Available	✓
Suspension	N/A
Leveling	N/A
Exterior Length	22.9 ft.
Dry Weight	3605 lbs.
Sleeping Capacity	4 person(s)
Interior Colour	N/A
Exterior Colour	Aluminum
Slideouts	N/A

Disclaimer: Product information, pricing and photos are as accurate as possible and are subject to change without notice.





SELLING FEATURES

Specifications and Features:

- Length (ft): 22'11"
- Width (ft): 8'0"
- Height (ft): 10'6"Interior Height (ft): 6'9"
- GVWR (lbs): 4650
- Dry Weight (lbs): 3605
- Payload Capacity (lbs): 1045
- Hitch Weight (lbs): 380
- Number Of Fresh Water Holding Tanks: 1
- Total Fresh Water Tank Capaci...

OPTIONS & EQUIPMENT

Three Years of Warranty Coverage

We're proud to back our RVs with a three-year limited structural warranty plus a one-year limited manufacturer's warranty. We offer such complete coverage because we're confident in the RVs we build. And because freedom from worry is the best travel companion.

Exclusive TuffShell™ Walls

Stand up to the elements without being weighed down. Using TuffShellTM vacuum-bonded lamination our walls combine welded aluminum framing fiberglass sidewalls and metal backers ensuring your camper can handle the toughest conditions. We apply 144 tons for 16-18 minutes to ensure 100 percent adhesive coverage and curing. (Select models.)

Starcraft EcoAdvantage™ Our Company's Commitment to Protecting the Environment

Through smart sustainability efforts we're creating better ways to build RVs using fewer or renewable natural resources. We won't get there overnight. But after more than 50 years as an RV manufacturer we know how commitment and unwavering passion pay off. This is our commitment to you—to build a better RV so that we can all do our part to protect the planet.

Extend your camping season with climate packages featuring forced air heating and enclosed underbellies (most models).

* To prevent freezing and damage our RVs should be winterized if they will be exposed to temperatures that will fall at or below 32°F (0°C). Starcraft's limited warranty does not cover damage caused by freezing.

The Best RV Roof. Period.

Reinforced crowned truss roof rafters with 3/8" fully walkable roof decking—strength tested to 4 500lbs—up to 50% stronger than the competition! Engineered to last! Your roof is a vital part of how your trailer is held together. Do not compromise integrity that has been built and trusted for years!

Specifications:

Weights

Dry Hitch Weight (lbs)380Unloaded Vehicle Weight (lbs)3 605Cargo Carrying Capacity (lbs)1 045Gross Vehicle Weight Rating (lbs)4 650

Measurements:

Exterior Length (overall)22' 11"

Exterior Height9' 10"

Exterior Height (with A/C)10' 6"

Exterior Width8'0"

Interior Height (main)6' 9"

Awning Length 13' 0"

Tank Capacities

Fresh Water Capacity (gals) 20.0

Gray Water Capacity (gals)20.0

Black Tank Capacity (gals) 20.0

Propane Unit (lbs)20

Miscellaneous

Sleeps up to 4

Water Heater 6 gallons

of outside storage compartments1

Furnace BTU18000

Tire SizeST225/75R15'D'

Standard Features and Options

Standard Exterior Equipment

- 120 GFCI protected receptacle
- 5/8" main floor decking
- 96" exterior width
- Black front diamond plate protection
- Detachable power cords
- Exterior docking center (dual axle models)
- Fiberglass insulation
- Flexible LP lines
- Galvanized wheel wells
- Grab handle
- In-frame battery rack
- Magnetic baggage door catches
- Magnum Roof™ system
- PVC Roofing Membrane (limited lifetime warranty)
- Rain guttering with molded drip spouts
- Rear camera prep
- Safety bumper with drain hose carrier and end caps
- Self-adjusting electric brakes and E-Z Lube® axles
- Thermal Seal-enclosed insulated and heated underbelly and fully insulated roof with a PVC Roofing Membrane (dual axle models)
- Tinted safety-glass windows throughout

Standard Interior Equipment

- 10 cu. ft. 12V refrigerator
- 75 lb. ball bearing drawer guides81" interior height
- Ceiling mount bluetooth speaker

- Flush floor slides with residential vinyl flooring
- Foot flush toilet
- Hidden hinge cabinet door hinges
- LED interior lighting
- Magnet cabinet catches
- Pleated blackout night shades
- Pocket-screwed lumbercore cabinet construction
- Pressed membrane kitchen countertops
- Range hood
- Residential high-rise kitchen faucet
- Single basin under-mount kitchen sink
- Solid hardwood cabinet doors
- Solid hardwood drawer fronts
- Storage below main bed
- USB charging port at beds and bunks

Customer Convenience Package (Mandatory)

- 13 500 BTU roof mounted A/C
- 17" oven (dual axle models)
- 2-burner range with glass cover (single axle models)
- 3-burner range with glass cover (dual axle models)
- Dome style digital TV antenna
- Friction hinge entrance door with window and shade prep
- Gas/electric water heater
- Microwave
- Nitrogen filled radial tires
- Powered awning with LED lighting
- Powered bathroom vent
- Residential vinyl flooring throughout
- Solid swing down step (main)
- Stabilizer jacks (4-dual axel models 2-single axle models)
- Water heater bypass
- Xtend Solar I Package (200 watt solar panel with 30 amp controller)

Options

- $\bullet \quad 14" \text{ aluminum rims } 14" \text{ (182RB 20MB 20FBS 22MLS 26BH 26BHS 26RLS 27BH 28BHS 263TH)}\\$
- 15" aluminum rims 15" (19BH 180BHS 188BHS 25TH)
- 15 000 BTU A/C (dual axle models)
- 50 amp service with 2nd A/C (26BHS 26RLS 28BHS)
- Fiberglass sidewalls (n/a 25TH 263TH)
- Griddle with bumper bracket (20FBS 26BH 20MB 26RLS 182RB 19BH 180BHS)
- MOAB Pkg (Western built units only) (Aluminum Rims option N/A) (N/A 25TH 263TH)
- Ramp patio (25TH 263TH)
- Smart TV
- Spare tire with carrier (mandatory on single axle models)
- Theater seat (26BHS 28BHS std. on 22MLS)

Powered by focusRV